

Volunteer Lake Assessment Program Individual Lake Reports PLEASANT LAKE, DEERFIELD, NH

TROPHIC CLASSIFICATION MORPHOMETRIC DATA KNOWN EXOTIC SPECIES

Watershed Area (Ac.):	2,240	Max. Depth (m):	19.8	Flushing Rate (yr1)	0.4	Year	Trophic class	
Surface Area (Ac.):	493	Mean Depth (m):	7	P Retention Coef:	0.78	1982	OLIGOTROPHIC	
Shore Length (m):	7,200	Volume (m³):	13,995,000	Elevation (ft):	578	1996	OLIGOTROPHIC	

The Waterbody Report Card tables are generated from the 2012 305(b) report on the status of N.H. waters, and are based on data collected from 2001-2011.

Designated Use	Parameter	Category	Comments
Aquatic Life	Phosphorus (Total) Good		>/=5 samples and median is < threshold but > 1/2 threshold value.
	pH Bad		>10%, with a minimum of 2, samples exceed criteria, with 1 or more by a large margin.
D.O. (mg/L)		Bad	>10%, with a minimum of 2, samples exceed criteria, with 1 or more by a large margin.
	D.O. (% sat)		>10% of samples exceed criteria by a small margin (minimum of 2 exceedances).
	Chlorophyll-a	Good	>/=5 samples and median is < threshold but > 1/2 threshold value.
Primary Contact Recreation	E. coli	Good	Geometric means < criteria; however at least 1 exceedance of the single sample criteria occurred.
	Chlorophyll-a	Very Good	At least 10 samples with 0 exceedances of criteria.


BEACH PRIMARY CONTACT ASSESSMENT STATUS

PLEASANT LAKE - VEASEY PARK BEACH	E. coli	>/=1 exceedance(s) of geometric mean criterion and/or >/=2 exceedances of single sample criterion,
		with 1 or more >2X criteria.

WATERSHED LAND USE SUMMARY

Fry, J., Xian, G., Jin, S., Dewitz, J., Homer, C., Yang, L., Barnes, C., Herold, N., and Wickham, J., 2011. Completion of the 2006 National Land Cover Database

for the Conterminous United States, PERS, Vol. 77(9):858-864. For larger image contact NHDES.



Land Cover Category	% Cover	Land Cover Category	% Cover	Land Cover Category	% Cover
Open Water	20.9	Barren Land	0	Grassland/Herbaceous	0
Developed-Open Space	5.72	Deciduous Forest	9.74	Pasture Hay	3.79
Developed-Low Intensity	0.73	Evergreen Forest	14.84	Cultivated Crops	0
Developed-Medium Intensity	0.05	Mixed Forest	40.54	Woody Wetlands	1.49
Developed-High Intensity	0	Shrub-Scrub	1.86	Emergent Wetlands	0.06



VOLUNTEER LAKE ASSESSMENT PROGRAM INDIVIDUAL LAKE REPORTS PLEASANT LAKE, DEERFIELD, NH 2012 DATA SUMMARY

OBSERVATIONS AND RECOMMENDATIONS (Refer to Table 1 and Historical Deep Spot Data Graphic)

- Chlorophyll-A: Chlorophyll levels were slightly higher in September however below the NH lake median. Historical trend analysis indicates a relatively stable chlorophyll level since monitoring began.
- CONDUCTIVITY/CHLORIDE: Conductivity was much greater than the NH lake median in Branch Brook, Farrelly Brook and Veasey Brook. Deep spot conductivity was slightly greater than the NH lake median.
- Total Phosphorus: Epilimnetic (upper water layer) phosphorus was low and well below NH lake median. Historical trend analysis indicates a relatively stable phosphorus level since monitoring began. Hypolimnetic (lower water layer) phosphorus was slightly elevated in September and the turbidity was also elevated indicating potential sediment contamination. Clarks Bk. and Loon Cove phosphorus was elevated in June following a storm event.
- Transparency: Transparency decreased as the summer progressed however was above the NH lake median. Historical trend analysis indicates a relatively stable transparency since monitoring began.
- TURBIDITY: Turbidity was elevated in Branch Bk., Clarks Bk. and Loon Cove in June following a significant storm event. Hypolimnetic turbidity was slightly elevated in September indicating potential sediment contamination.
- PH: pH levels were lower than desirable and potentially critical to aquatic life.
- RECOMMENDED ACTIONS: Phosphorus and turbidity were elevated in Branch Bk., Clarks Bk. and Loon Cove following a storm event indicating potential erosion and stormwater runoff issues in the subwatersheds. Identify potential areas impacted by stormwater and implement best management practices to reduce runoff where possible. Educate watershed residents on ways to reduce stormwater runoff from their properties utilizing DES' "NH Homeowner's Guide to Stormwater Management". Conduct chloride monitoring at tributaries with elevated conductivity to establish a baseline data set. Keep up the great work!

	Table 1. 2012 Average Water Quality Data for PLEASANT LAKE							
	Alk.	Chlor-a	Cond.	Total P	Tra	ns.	Turb.	рН
Station Name	mg/l	ug/l	uS/cm	ug/l	m		ntu	
					NVS	VS		
Branch Brook			181.2	16			3.25	6.02
Clarks Brook			35.7	35			3.47	5.78
Deep Epilimnion	2.43	3.24	66.1	6	6.82	7.08	0.70	6.40
Deep Metalimnion			65.6	7			0.94	6.35
Deep Hypolimnion			70.7	14			1.64	6.37
Farrelly Brook			257.0	7			0.50	5.99
Loon Cove			63.7	35			2.18	6.43
Philbrick Brook			16.4	7			0.24	5.16
Route 107 Inlet			49.7	12			1.27	5.96
Veasey Brook			221.0	11			0.63	6.33
Wilsons Brook			59.8	8			0.41	6.11

NH Median Values: Median values for specific parameters generated from historic lake monitoring

data.

Alkalinity: 4.9 mg/L Chlorophyll-a: 4.58 mg/m³ Conductivity: 40.0 uS/cm Chloride: 4 mg/L

Total Phosphorus: 12 ug/L **Transparency:** 3.2 m

pH: 6.6

NH Water Quality Standards: Numeric criteria for specific parameters. Results exceeding criteria are considered a water quality violation.

Chloride: < 230 mg/L (chronic)
E. coli: > 88 cts/100 mL – public beach
E. coli: > 406 cts/100 mL – surface waters
Turbidity: > 10 NTU above natural level
pH: 6.5-8.0 (unless naturally occurring)

HISTORICAL WATER QUALITY TREND ANALYSIS

Parameter	Trend	Explanation
Chlorophyll-a	Stable	Data not significantly increasing or decreasing.
Transparency	Stable	Data not significantly increasing or decreasing.
Phosphorus (epilimnion)	Stable	Data not significantly increasing or decreasing.

This report was generated by the NH DES Volunteer Lake Assessment Program (VLAP). For more information contact: Sara Steiner PO Box 95

Concord, NH 03302-0095 (603) 271-2658 sara.steiner@des.nh.gov



